



Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11) Publication number:

**0 582 561 A1**

(12)

## EUROPEAN PATENT APPLICATION

(21) Application number: **93870159.6**

(51) Int. Cl.<sup>5</sup>: **A01N 57/20, //(A01N57/20, 25:12)**

(22) Date of filing: **30.07.93**

(30) Priority: **31.07.92 US 922715**

(43) Date of publication of application:  
**09.02.94 Bulletin 94/06**

(84) Designated Contracting States:  
**AT BE CH DE DK ES FR GB GR IE IT LI LU MC  
NL PT SE**

(71) Applicant: **MONSANTO COMPANY**  
**800 North Lindbergh Boulevard**  
**St. Louis Missouri 63167(US)**

(72) Inventor: **Arnold, Kristin Ann**  
**1012 North Harrison Avenue**  
**Kirkwood, Missouri 63122(US)**

(74) Representative: **Bosch, Henry et al**  
**Monsanto Services International S.A.**  
**Patent Department**  
**Avenue de Tervuren 270/272**  
**Letter Box No. 21**  
**B-1150 Brussels (BE)**

(54) **Improved glyphosate herbicide formulation.**

(57) This invention relates to a novel dry free-flowing, non-dusty, non-sticky water-soluble granular composition most preferably prepared by extrusion which comprises (a) N-phosphonomethylglycine and/or one or more salts thereof or mixtures thereof, (b) one or more surfactants and (c) an extrusion aid which is solid at ambient temperature, the extrusion aid which further comprises a polyalkylene glycol in which the alkylene oxide units are ethylene oxide, propylene oxide, butylene oxide or a mixture of such oxides.

This invention also relates to processes for preparing and to a herbicidal method of using compositions of the invention to kill or control unwanted vegetation by applying an aqueous solution of the composition of this invention to the plants to be killed or controlled.

**EP 0 582 561 A1**

## FIELD OF THE INVENTION

This invention relates to a novel dry free-flowing, non-dusty, non-sticky water-soluble granular glyphosate based composition prepared by extrusion which comprises

- (a) a herbicidally effective amount of glyphosate (N-phosphonomethylglycine) and/or one or more agriculturally acceptable water soluble salts thereof or mixtures thereof,
- (b) one or more surfactants in an effective amount and
- (c) an effective amount of an extrusion aid which comprises a polyalkylene glycol in which the alkylene oxide units are ethylene oxide, propylene oxide, butylene oxide or a mixture of such oxides.

This invention also relates to processes for preparing and to a herbicidal method of using glyphosate compositions of this invention to kill or control unwanted vegetation by applying an aqueous solution of the composition of this invention to the plants to be killed or controlled.

## DESCRIPTION OF THE PRIOR ART

Glyphosate is well known as an effective herbicide. Glyphosate, an organic acid, is relatively insoluble in water. Therefore, glyphosate is typically formulated and applied as agriculturally acceptable water-soluble salts, for example as the isopropylamine (IPA) salt, sodium salt or ammonium salt.

Various useful formulations of glyphosate are disclosed in U.S. Patents 3,799,758 and 4,405,531 both of which are incorporated herein by reference. Roundup® herbicide, an aqueous concentrate formulation comprising the IPA salt of glyphosate, is made and sold by Monsanto Company and is diluted in water by the end user prior to application. Kusatoban® herbicide, a water-soluble granule (WSG) formulation comprising the monoammonium salt of glyphosate, is made and sold by Monsanto Company in Japan and is dissolved in water by the end user prior to application. Roundup® WSD (water soluble dry), Pacer® and Rival® herbicides are examples of WSG formulations comprising the monoammonium salt of glyphosate made and sold by Monsanto Company similar fashion to Kusatoban.

Glyphosate herbicides are normally applied with a surfactant to improve leaf wetting and assist in penetration of the active ingredient into the leaf. Most commonly the surfactant is employed as an inert ingredient in the formulation.

Many classes of surfactant have been disclosed in compositions with glyphosate, but they show large differences in the degree to which they improve or potentiate the activity of glyphosate. Wyrill and Burnside (Weed Science Volume 25, pages 275-287, 1977) concluded from a wide-ranging study of surfactants as adjuvants for the IPA salt of glyphosate that an effective surfactant is a critical component of any glyphosate spray mixture.

The term "surfactant" as used herein refers to a product in the physical form as supplied by the manufacturer. Generally such products are not preparations of a single chemical species but are instead mixtures of similar species. Any reference herein to physical or chemical properties of any surfactant is intended to apply to the product as so supplied by the manufacturer.

Polyalkylene glycols, especially polyethylene glycols (PEGs), are used commercially in many applications. They are formulated for the cosmetic and pharmaceutical industries in creams, lotions, cakes, sticks and powders. They are used as mold release agents in tableting. They are used as dispersing agents in dyeing. They are used as anti-static agents; and in the agricultural industry, they are used as antifreeze agents and humectants.

EPO patent application 0 206 537 ("537," published September 20, 1989) discloses solid, phytoactive compositions of glyphosate, methods of use and methods of preparation of such compositions. In Example X thereof, powder #3 is disclosed to have been prepared from 42.5 g of 58% aqueous glyphosate-trimesium, 1 g of silica and 15 grams of polyethylene glycol with an average molecular weight of 7500. This is not a fully water soluble composition as disclosed herein, as it contains a water insoluble ingredient (silica). No water soluble composition containing high molecular weight PEG is disclosed in '537. It is reasonable to assume that the applicants of '537 were unable to formulate an acceptable solid composition of a glyphosate herbicide and high molecular weight PEG without the use of silica as an adsorbent for the PEG.

While '537 discloses that mixtures of various nonionic surfactants or mixtures of nonionic surfactants with cationic, anionic or amphoteric surfactants can also be used therein, so long as these surfactants are solid at ambient temperatures, it does not disclose or render obvious applicant's herbicidally efficacious composition comprising a high molecular weight PEG and one or more surfactants which are liquid at ambient temperatures with a glyphosate based active ingredient as may be employed herein. Indeed, '537 discloses therein that a glyphosate composition containing high molecular weight PEG showed low

herbicidal activity relative to a liquid glyphosate formulation based on a lower amount of a surfactant described as "Ethoquad 12".

US Patent 4,183,740 ('740) issued to Choong-Gook Jang on January 15, 1980 discloses solid herbicidal compositions comprising a molecular dispersion of a liquid nonionic surfactant in herbicidal pyrazolium salts and a process for preparing the same. On page 2, lines 33-35 of the '740 patent, PEG having an average molecular weight of 6000, a melting range of 60-63 °C and a viscosity at 210 °F of 700-900 centistokes is disclosed as being useful as a "bulking/absorbing agent" for pyrazolium compositions.

Dry glyphosate formulations have advantages over a liquid product in that (1) any spill from a dry product is easier to clean up than spill from a liquid product, (2) there is potential for less chemical exposure to the end user from using a dry formulation, (3) it is easier to develop residue-free packages and unit-dose packages with a dry product, (4) there is greater potential to develop package mixes with other active ingredients in the case of a dry product and (5) many environmentally or toxicologically attractive surfactants are physically incompatible with glyphosate salts in a liquid formulation.

To realize these advantages for dry glyphosate formulations, the dry product is most conveniently provided in granular form typically coming from an extruder as extrudate.

Numerous methods of preparing granules have been described and are well known to those skilled in the art, but one that is particularly advantageous in producing a high-quality, uniform product with good process controllability is an extrusion process.

The composition of the material being extruded strongly influences the ease with which the product will extrude and the properties of the resulting granules. The presence of a substantial amount of certain surfactants, especially those which are liquid at ambient temperature, may make extrusion difficult or impossible or lead to a soft, sticky granular product which does not flow freely and tends to clump or cake on storage. This has hitherto placed severe limitations on the choice of surfactants for dry glyphosate products.

To one skilled in the art, surfactants which are solid at ambient temperature, as used for example in the compositions disclosed in '537 and similarly in U.S. Patent 4,140,513 issued to Erhard J. Prill on February 20, 1979 will generally be suitable for making free-flowing granules. In '537, page 4, lines 25-28, it is stated that it is particularly important that the surfactant is solid at ambient temperatures and that in practical terms it must be solid at the highest temperatures to which the formulation may be exposed before it is mixed with diluent by the end user. Such temperatures are generally up to about 50 °C. It is therefore unexpected from '537 that a surfactant (or surfactant mixture) which is liquid at temperatures below 50 °C when employed in a glyphosate based composition with a suitable extrusion aid could be extruded to a free-flowing, substantially non-caking granular product which applicant has invented.

Dry glyphosate formulations containing surfactants which are liquid at ambient temperature are disclosed in PCT US/89/5793, but it is noted in that publication that surfactants employed therewith which do not gel when added to water do not in general yield good quality granules.

Many of the surfactants or surfactant mixtures which are effective potentiators of glyphosate herbicidal activity and have desirable toxicological or environmental properties are supplied as liquids at ambient temperature and do not gel when added to water. Nothing in the prior art is believed available to guide one of skill in the art in arriving at the composition and method of preparation of free-flowing, non-caking granular formulations containing such surfactants in amounts adequate to provide a high level of glyphosate herbicidal performance in accordance with the present invention.

## SUMMARY OF THE INVENTION

This invention relates to a novel dry free-flowing, non-dusty, non-sticky water-soluble granular glyphosate based composition prepared by extrusion which comprises

(a) a herbicidally effective amount of N-phosphonomethylglycine and/or one or more salts thereof or mixtures thereof,

(b) one or more surfactants in an effective amount and

(c) an extrusion aid which in an effective amount further comprises a polyalkylene glycol in which the alkylene oxide units are ethylene oxide, propylene oxide, butylene oxide or a mixture of such oxides.

The dry compositions of this invention may contain a small amount of water from about 0 to about 1.5 per cent by weight.

This invention also relates to processes for preparing and to a herbicidal method of using glyphosate compositions of this invention to kill or control unwanted vegetation by preparing an aqueous solution containing a composition of this invention and then applying an aqueous solution of a composition of this invention to the plants to be killed or controlled.

As used herein, the term "glyphosate herbicide" includes glyphosate which can be present in its acid form, as well as to glyphosate in the form of any water-soluble agriculturally acceptable salt or derivative thereof, which provides glyphosate acid or glyphosate anions in a solution of a herbicidal composition according to this invention.

5 Preferably, the glyphosate employed herein is a relatively non-hygroscopic water-soluble glyphosate salt such as an alkali metal, for example sodium, salt, or ammonium salt of glyphosate or a mixture(s) thereof, although any salts of glyphosate which are able to be formulated in a water-soluble dry form, or mixtures of any such salts or a mixture of glyphosate acid and any such salts, may be employed if desired. Most preferred are mono alkali metal salts of N-phosphonomethylglycine and the mono ammonium salt of  
10 N-phosphonomethylglycine or mixtures thereof and the like.

Surfactants of virtually any class may be used. One of the advantages of this invention is that surfactants can be employed without regard to their physical properties. However, the greatest benefit of this invention is realized when the surfactants chosen are supplied as liquids at ambient temperature and are strong potentiators of glyphosate activity. Examples of surfactants which may be useful include  
15 alkanolamides, betaine derivatives, ethoxylated propoxylated block copolymers, glycerol esters, glycol esters, imidazolines and imidazoline derivatives, lanolin derivatives, lecithin derivatives, tertiary or quaternary polyoxyalkylene alkylamines, polyoxyalkylene and non-polyoxyalkylene alkylamine oxides, polyoxyalkylene alkylethers, polyoxyalkylene alkylarylethers, polyoxyalkylene alkylesters, alkoxyated and non-alkoxyated sorbitan esters, alkyl glycosides, alkyl polyglycosides, sucrose esters, sucrose glycerides, alkyl  
20 sulfates or phosphates, olefin sulfonates, alkylaryl sulfonates, polyoxyalkylene alkylether sulfates or phosphates, sulfosuccinate derivatives, sulfosuccinamates, taurates, sulfates and sulfonates of oils, fatty acids, alcohols, alkoxyated alcohols, fatty esters and aromatic derivatives, mixtures thereof and the like. Those skilled in the art will recognize that other surfactants not included above may be equally useful.

The extrusion aid employed herein comprises an effective amount of a polyalkylene glycol which is  
25 solid at ambient temperature and in which the alkylene oxide units are ethylene oxide, propylene oxide, butylene oxide or a mixture of such oxides and the like. Preferably the extrusion aid is a polyethylene glycol (PEG) having an average molecular weight above about 1000 and more preferably a PEG having an average molecular weight from about 3000 to about 15000, for example about 6500 to about 9500 and most preferably from about 7000 to about 9000.

30 The resulting product of this invention is shelf-stable, substantially non-dusty, free-flowing and substantially non-caking. The product can be easily used by the user and dissolves readily in water prior to its use to kill/control unwanted vegetation.

Prior art problems overcome by compositions of this invention include (1) restriction on choice of surfactant imposed by physical properties of the surfactant; (2) poor efficiency of extrusion, leading to  
35 higher cost of manufacture and hence higher cost to the end user; (3) poor handling properties of granules, especially stickiness and a tendency to cake. While prior art shows that high molecular weight PEG (PEG 7500), when used as the sole inert ingredient with glyphosate salt (and water), is an ineffective potentiator of glyphosate herbicidal activity, compositions of this invention containing PEG surprisingly retain high biological efficacy.

40

## DETAILED DESCRIPTION OF THE INVENTION

This invention relates to a novel dry free-flowing, non-dusty, non-sticky water-soluble granular glyphosate based composition most preferably prepared by extrusion which comprises

45 (a) a herbicidally effective amount of N-phosphonomethylglycine and/or one or more salts thereof or mixtures thereof,  
(b) one or more surfactants in an effective amount and  
(c) an extrusion aid in an effective amount which is solid at ambient temperature, the extrusion aid which further comprises a polyalkylene glycol in which the alkylene oxide units are ethylene oxide, propylene  
50 oxide, butylene oxide or a mixture of such oxides.

This invention also relates to processes for preparing and to a herbicidal method of using glyphosate compositions of this invention to kill or control unwanted vegetation by applying an aqueous solution of the composition of this invention to the plants to be killed or controlled.

55 Preferably the glyphosate employed herein is in the form of an alkali metal, for example sodium, salt or the ammonium salt or a mixture thereof, although any salts of glyphosate which are able to be formulated in a water-soluble dry form, or mixtures of any such salts or a mixture of glyphosate acid and any such salts, may be employed if desired. Most preferably the glyphosate is present as the mono alkali metal or mono ammonium salt.

The most preferable glyphosate salt useful herein is the monoammonium salt as contained for example in Roundup® WSD herbicide from Monsanto Company.

Typically the compositions of this invention contain from about 40 to about 90 per cent by weight of glyphosate salt, more preferably from about 60 to about 85 per cent by weight of glyphosate salt, although greater or lesser amounts may be employed if desired.

Surfactants of virtually any class may be used; however, the greatest benefit of this invention is realized when the surfactants chosen are supplied as liquids at ambient temperature. Examples of surfactants useful in formulations of this invention are alkanolamides, betaine derivatives, ethoxylated propoxylated block copolymers, glycerol esters, glycol esters, imidazolines and imidazoline derivatives, lanolin derivatives, lecithin derivatives, tertiary or quaternary polyoxyalkylene alkylamines, polyoxyalkylene and non-polyoxyalkylene alkylamine oxides, polyoxyalkylene alkylethers, polyoxyalkylene alkylarylethers, polyoxyalkylene alkylesters, alkoxyated and non-alkoxyated sorbitan esters, alkyl glycosides, alkyl polyglycosides, sucrose glycerides, sucrose esters, alkyl sulfates or phosphates, olefin sulfonates, alkylaryl sulfonates, polyoxyalkylene alkylether sulfates or phosphates, sulfosuccinate derivatives, sulfosuccinamates, taurates, sulfates and sulfonates of oils, fatty acids, alcohols, alkoxyated alcohols, fatty esters and aromatic derivatives, mixtures thereof and the like.

Preferred surfactants useful in this invention include Ethomeen T/25, Ethoquad C/25 and Ethoquad 18/25 from Akzo Chemicals Inc.; T-Det DD 10 and T-Det DD 14 from Harcros Chemicals Inc.; Rhodafac RE 610 from Rhône Poulenc Corporation; Emcol CC-9 from Witco Corporation; Trydet 2676 and Trycol 5943 from Henkel Corporation; Tergitol 15-S-12 from Union Carbide Corporation; and Tween 20 and Tween 80 from ICI Americas Inc.

The compositions of this invention contain an effective amount of surfactant generally from about 3 to about 30 per cent by weight of surfactant, more preferably from about 5 to about 20 per cent by weight of surfactant, although greater or lesser amounts may be employed if desired.

Typically, the compositions of this invention contain an effective amount of extrusion aid generally up to about 30 per cent by weight of the extrusion aid and more preferably from about 1 to about 20 per cent by weight of the extrusion aid, although greater or lesser amounts may be employed if desired. More than one extrusion aid may be employed as well as mixtures thereof if desired.

As to composition of a preferred extrusion aid, typically it is a polyethylene glycol having an average molecular weight greater than about 1000. A polyethylene glycol having an average molecular weight in the range from about 3000 to about 15000, for example from about 6500 to about 9500, and most preferably from about 7000 to about 9000 is most suitably employed.

Examples of preferable extrusion aids useful in this invention are PEG 8000 from Fisher Scientific and Carbowax® Polyethylene Glycol 8000 from Union Carbide Corporation.

Various other inert adjuvants may be employed in effective amount(s) if desired as constituents of formulations of the present invention, including but not limited to agriculturally acceptable inorganic salts, for example ammonium sulfate, ammonium nitrate, monopotassium phosphate, tetrapotassium pyrophosphate, sodium bisulfate, sodium sulfite, ammonium bicarbonate and the like; dispersants; binders; anti-foam agents; dyes and humectants.

Optionally, the formulation may also contain water soluble active ingredients in a herbicidally effective amount, other than glyphosate, for example one or more salts of phenoxy herbicides such as MCPA and 2,4-D, dicamba, acifluorfen and the like.

A preferred process for preparing a composition of this invention comprises (1) making a homogeneous mixture of a surfactant(s) and extrusion aid together with a small quantity of water; (2) mixing this homogeneous mixture with a dry particulate form of glyphosate to form a blend; (3) extruding the blend and optionally (4) drying the resulting granules.

An alternative desirable process for making compositions of this invention comprises (1) making a homogeneous mixture of a surfactant(s) together with a small quantity of water; (2) dry mixing glyphosate and extrusion aid, both of which are in dry particulate form; (3) blending the homogeneous mixture product of with the dry mix product of (2); (4) extruding the blend and optionally (5) drying the resulting granules.

Compositions of this invention may be prepared by mixing the various ingredients in the ratios exemplary of those described herein. The processes of this invention may be preferably carried out at room temperatures, except only as noted herein wherein slight heating is advantageous.

The process of this invention may be preferably carried out at atmospheric pressure except where extrusion is practiced.

This invention also relates to a herbicidal method of using compositions of this invention in an effective amount to kill or control unwanted vegetation by applying the composition in aqueous solution to the plants to be killed or controlled. The composition of this invention is preferably dissolved in such a volume of

water as to provide a resulting effective concentration of glyphosate acid equivalent in the range from about 0.025 to about 25 and preferably from about 0.5 to about 5 per cent by weight, although those of skill in the art will recognize that greater or lesser degrees of dilution may be employed depending upon the plant species to be killed or controlled, their stage of growth, the weather, the application equipment used and other conditions at the point of application and other factors as well.

Various application methods may be employed including broadcast spraying, directed spraying or wiping the foliage with the dissolved granules of this invention. Depending upon the degree of control desired, the age and species of the plants and the weather conditions, typically the amount of glyphosate is a herbicidally effective amount, (expressed as acid equivalent) applied in the range from about 0.1 to about 10 and preferably from about 0.25 to about 2.5 kg/ha although greater or lesser amounts may be applied.

#### GENERAL PROCESS DESCRIPTION

All the glyphosate water soluble granule (WSG) formulations containing an extrusion aid prepared according to this invention were made by one of the two general procedures recited below involving unit operations of mixing, extrusion and optionally drying.

In a preferred procedure, the selected desired amount of glyphosate salt preferably Fitz milled in powder form is weighed into any suitable mixing device, for example a food processor, Hobart mixer, ribbon blender, kneader or the like. In a separate container one or more surfactants, normally in liquid form, an extrusion aid (in the form of powder or flakes) and a small amount of water are heated to assist and just bring about dissolution of the extrusion aid. Heating is not sufficient to bring the temperature up to the melting point of the extrusion aid. The mixture is stirred well until it appears homogeneous and is then added to the Fitz milled glyphosate salt and mixed. Mixing time in this step is dependent on the mixing device used and on the quantity of formulation being prepared as illustrated by Examples provided herein.

The resulting blend of glyphosate salt, surfactant(s) and extrusion aid is extruded in any suitable extruder, for example a basket extruder, single screw radial extruder, twin screw radial extruder, single screw front-end extruder or the like. After extrusion the resulting granules optionally may be dried in any suitable drying device such as a fluid bed dryer or the like to a desired lower water content.

In another procedure, dry mixing is done using Fitz milled powdered glyphosate salt and powdered extrusion aid in a mixing device such as any of the types illustratively listed above or the like. In a separate container one or more surfactants, normally in liquid form, and a small amount of water are mixed and added to the dry glyphosate salt/extrusion aid mixture. The resulting blend is thoroughly mixed, extruded and optionally dried as in the first procedure above. If any of the surfactants gel when added to water, either the surfactant/water mixture is heated to a temperature just to dissolve the gel or the surfactant(s) and water are added separately to the dry glyphosate salt/extrusion aid mixture.

Without being limited, the following Examples are provided of these processes. In all Examples the source of dry monoammonium glyphosate was Roundup® WSD, milled in a Fitz mill to provide a fine powder (40 mesh screen). All granules prepared in the following Examples 1-10 illustrative of this invention were free-flowing, non-dusty and non-sticky and were acceptable high quality herbicidally efficacious products.

All percentages appearing herein are by weight unless otherwise specified.

#### EXAMPLE 1

75% monoammonium glyphosate

8% Ethomeen T/25 (Akzo Chemicals Inc.) as surfactant

17% Carbowax® Polyethylene Glycol 8000 (Union Carbide Corporation) as extrusion aid

Dry monoammonium glyphosate (75 g) Fitz milled in powder form was weighed into a food processor bowl. Ethomeen T/25 (8 g), Carbowax PEG 8000 (17 g) and water (5 ml) were placed in a 150 ml beaker, heated in a microwave oven for 20 seconds and hand stirred with a spatula until the mixture appeared homogeneous. The resulting blend was added to the dry ammonium glyphosate and mixed thoroughly with a food processor for about 2 minutes. The resulting mixture was extruded in a Luwa KAR-75 bench-top basket extruder and the resulting granules were fluid bed dried in an aeromatic dryer at about 60 °C, followed by screening with 10 and 40 mesh screens to remove over- and under-sized particles.

## EXAMPLE 2

75% monoammonium glyphosate

10% Ethomeen T/25 (Akzo Chemicals Inc.) as surfactant

5 15% Carbowax PEG 8000 (Union Carbide Corporation) as extrusion aid

Dry monoammonium glyphosate (75 g) and Carbowax PEG 8000 (15 g), both in powder form, were weighed into a food processor bowl and thoroughly mixed dry, without heating. Ethomeen T/25 (15 g) and water (5 ml) were placed in a 150 ml beaker, heated in a microwave oven for about 10 seconds and hand stirred with a spatula until the surfactant gel which formed on addition of the Ethomeen T/25 to water was thoroughly dispersed. The surfactant/water mixture was then added to the ammonium glyphosate/PEG 8000 mixture and mixed thoroughly with a food processor. The resulting mixture was extruded in a bench-top basket extruder as in Example 1 and the granules were fluid bed dried as in Example 1, followed by screening with 10 and 40 mesh screens to remove over- and under-sized particles.

## 15 EXAMPLE 3

75% monoammonium glyphosate

15% Ethoquad 18/25 (Akzo Chemicals Inc.) as surfactant

10% Carbowax PEG 8000 (Union Carbide Corporation) as extrusion aid

20 Dry monoammonium glyphosate (225 g) in powder form was weighed into a food processor bowl. Ethoquad 18/25 (45 g), Carbowax PEG 8000 (30 g) and water (15 ml) were placed in a 250 ml beaker, heated in a microwave oven for 40 seconds and hand stirred with a spatula until the resulting blend (mixture) appeared homogeneous. This blend was added to the ammonium glyphosate and mixed thoroughly with a food processor. The mixture was extruded in a bench-top basket extruder as in Example 1 and the resulting granules were fluid bed dried as in Example 1, followed by screening with 10 and 40 mesh screens to remove over- and under-sized particles.

## EXAMPLE 4

30 75% monoammonium glyphosate

11% Ethoquad C/25 (Akzo Chemicals Inc.) as surfactant

11% Tween 20 (ICI Americas Inc.) as surfactant

3% Carbowax PEG 8000 (Union Carbide Corporation) as extrusion aid

35 Dry monoammonium glyphosate (8.5 kg) in powder form was weighed into buckets and added to a 1 cu. ft. Robinson ribbon blender. Ethoquad C/25 (1.2 kg), Tween 20 (1.2 kg), Carbowax PEG 8000 (340 g) and water (570 ml) were mixed in two 2000 ml beakers, heated in a microwave oven for several minutes and hand stirred with a spatula until the mixture appeared homogeneous. The resulting blend was added slowly to the monoammonium glyphosate while the ribbon blender was running. This addition took approximately 5 to 10 minutes. The mixture was blended further for 10 to 15 minutes in the ribbon blender. The mixture was then discharged and extruded in a pilot scale Niro-Aromatic basket extruder. The granules were dried in a fluid bed dryer (Fitz Aire FH-5 at about 60°C) and screened with 10 and 40 mesh screens to remove over- and under-sized particles.

## EXAMPLE 5

45

75% monoammonium glyphosate

10% Ethoquad C/25 (Akzo Chemicals Inc.) as surfactant

10% T-Det DD 14 (Harcros Chemicals Inc.) as surfactant

5% Carbowax PEG 8000 (Union Carbide Corporation) as extrusion aid

50 Dry ammonium glyphosate (8.5 kg) in powder form was weighed into buckets and added to a ribbon blender as in example 4. Ethoquad C/25 (1.13 kg), T-Det DD 14 (1.13kg), Carbowax PEG 8000 (567 g) and water (570 ml) were mixed in two 2000 ml beakers, heated in a microwave oven for several minutes and hand stirred with a spatula until the mixture appeared homogeneous. The resulting blend was added slowly to the ammonium glyphosate while the ribbon blender was running. This addition took approximately 5-10 minutes. The mixture was blended for a further 10-15 minutes in the ribbon blender. The mixture was then discharged and extruded in a pilot scale basket extruder as in Example 4. The granules were dried in a fluid bed dryer as in Example 4 and screened with 10 and 40 mesh screens to remove over- and under-sized particles.

## EXAMPLE 6

75% monoammonium glyphosate  
 15% Ethomeen T/25 (Akzo Chemicals Inc.) as surfactant  
 5 Rhodafac RE 610 (Rhône Poulenc Corporation) as surfactant  
 5% Carbowax PEG 8000 (Union Carbide Corporation) as extrusion aid

Dry ammonium glyphosate (225 g) in powder form was weighed into a food processor bowl. Ethomeen T/25 (45 g), Rhodafac RE 610 (15 g), Carbowax PEG 8000 (15 g) and water (15 ml) were placed in a 250 ml beaker, heated in a microwave oven for 40 seconds and stirred with a spatula until the mixture appeared homogeneous. The resulting blend was added to the ammonium glyphosate and mixed thoroughly with a food processor. The mixture was extruded in a bench-top basket extruder as in Example 1 and the resulting granules were fluid bed dried as in Example 1, followed by screening with 10 and 40 mesh screens to remove over- and under-sized particles.

## EXAMPLE 7

75% monoammonium glyphosate  
 8% Emcol CC-9 (Witco Corporation) as surfactant  
 12% T-Det DD 14 (Harcros Chemicals Inc.) as surfactant  
 5% Carbowax PEG 8000 (Union Carbide) as extrusion aid

Dry ammonium glyphosate (225 g) in powder form was weighed into a food processor bowl. Emcol CC-9 (27 g), T-Det DD 14 (36 g), Carbowax PEG 8000 (15 g) and water (15 ml) were placed in a 250 ml beaker, heated in a microwave oven for 40 seconds and stirred with a spatula until the mixture appeared homogeneous. The resulting blend was added to the ammonium glyphosate and mixed thoroughly with a food processor. The mixture was extruded in a bench-top basket extruder as in Example 1 and the resulting granules were fluid bed dried as in Example 1, followed by screening with 10 and 40 mesh screens to remove over- and under-sized particles.

## EXAMPLE 8

75% monoammonium glyphosate  
 9% Ethoquad 18/25 (Akzo Chemicals Inc.) as surfactant  
 8% Trydet 2676 (Henkel Corporation) as surfactant  
 8% Carbowax PEG 8000 (Union Carbide Corporation) as extrusion aid

Dry ammonium glyphosate (8.5 kg) in powder form was weighed into buckets and added to a ribbon blender as in example 4. Ethoquad 18/25 (1.02 kg), Trydet 2676 (907 g), Carbowax PEG 8000 (907 g) and water (570 ml) were mixed in two 2000 ml beakers, heated in a microwave oven for several minutes and stirred with a spatula until the mixture appeared homogeneous. The resulting blend was added slowly to the ammonium glyphosate while the ribbon blender was running. This addition took approximately 5-10 minutes. The mixture was blended for a further 10-15 minutes in the ribbon blender. The mixture was then discharged and extruded in a pilot scale basket extruder as in Example 4. The granules were dried in a fluid bed dryer as in Example 4 and screened with 10 and 40 mesh screens to remove over- and under-sized particles.

## EXAMPLE 9

75% monoammonium glyphosate  
 9% Ethoquad 18/25 (Akzo Chemicals Inc.) as surfactant  
 8% Trycol 5943 (Henkel Corporation) as surfactant  
 8% Carbowax PEG 8000 (Union Carbide Corporation) as extrusion aid

Dry ammonium glyphosate (8.5 kg) in powder form was weighed into buckets and added to a ribbon blender as in Example 4. Ethoquad 18/25 (1.02 kg), Trycol 5943 (907 g), Carbowax PEG 8000 (907 g) and water (570 ml) were mixed in two 2000 ml beakers, heated in a microwave oven for several minutes and stirred with a spatula until the mixture appeared homogeneous. The resulting blend was added slowly to the ammonium glyphosate while the ribbon blender was running. This addition took approximately 5-10 minutes. The mixture was blended for a further 10-15 minutes in the ribbon blender. The mixture was then discharged and extruded in a pilot scale basket extruder as in Example 4. The granules were dried in a fluid bed dryer as in Example 4 and screened with 10 and 40 mesh screens to remove over- and under-sized



particles.

#### EXAMPLE 10

75% monoammonium glyphosate

5 10% Ethoquad C/25 (Akzo Chemicals Inc.) as surfactant

10% Tergitol 15-S-12 (Union Carbide Corporation) as surfactant

5% Carbowax PEG 8000 (Union Carbide Corporation) as extrusion aid

10 Dry ammonium glyphosate (225 g) in powder form was weighed into a food processor bowl. Ethoquad C/25 (30 g), Tergitol 15-S-12 (30 g), Carbowax PEG 8000 (15 g) and water (15 ml) were placed in a 250 ml beaker, heated in a microwave oven for 40 seconds and stirred with a spatula until the mixture appeared homogeneous. The resulting blend was added to the ammonium glyphosate and mixed thoroughly with a food processor. The mixture was extruded in a bench-top basket extruder and the resulting granules were fluid bed dried as in Example 1, followed by screening with 10 and 40 mesh screens to remove over- and under-sized particles.

15

#### EXAMPLE 11

75% monoammonium glyphosate

10% Ethoquad 18/25 (Akzo Chemicals Inc.) as surfactant

20 10% T-Det DD 10 (Harcros Chemicals Inc.) as surfactant

5% Carbowax PEG 8000 (Union Carbide Corporation) as extrusion aid

25 Dry monoammonium glyphosate (8.5 kg) in powder form was weighed into a container and added to a 1 cu. ft. (28 liters) Robinson ribbon blender. Ethoquad 18/25 (1.13 kg), T-Det DD 10 (1.13 kg), Carbowax PEG 8000 (567 g) and water (570 ml) were mixed in two 2000 ml beakers, heated in a microwave oven for several minutes and hand stirred with a spatula until the mixture appeared homogeneous. The resulting blend was added slowly to the monoammonium glyphosate while the ribbon blender was running. This addition took approximately 5 to 10 minutes. The mixture was blended further for 10 to 15 minutes in the ribbon blender. The mixture was then discharged and extruded in a pilot scale Niro-Aromatic basket extruder. The granules were dried in a fluid bed dryer (Fitz Aire FH-5 at about 60 °C) and screened with 10 and 40 mesh screens to remove over- and under-sized particles.

30

#### EXAMPLE 12

35 Tests have been conducted using formulations of this invention to determine herbicidal efficacy. These tests taken collectively have generally demonstrated that, contrary to expectations from EP 0 206 537 noted above, inclusion of PEG 8000 as an extrusion aid in the present invention does not negatively impact herbicidal efficacy, even when less surfactant is employed.

All compositions below were prepared according to the process described for Example 1 previously.

#### 40 Composition A

75% monoammonium glyphosate

15% Ethomeen T/25 (polyethoxylated [15 moles] tallow amine) (Akzo Chemicals Inc.) as surfactant

10% Carbowax Polyethylene glycol 8000 (Union Carbide Corporation) as extrusion aid

45

#### Composition B

75% monoammonium glyphosate

18% Ethomeen T/25 (Akzo Chemicals Inc.) as surfactant

50 7% Carbowax PEG 8000 (Union Carbide Corporation) as extrusion aid

#### Composition D

75% monoammonium glyphosate

55 18% T-Det DD 10 (polyethoxylated [10 moles] dodecyl phenol) (Harcros Chemicals Inc.) as surfactant

7% Carbowax PEG 8000 (Union Carbide Corporation) as extrusion aid

Composition F

- 75% monoammonium glyphosate  
18% T-Det DD 14 (polyethoxylated [14 moles] dodecyl phenol) (Harcros Chemicals Inc.) as surfactant  
5 7% Carbowax PEG 8000 (Union Carbide Corporation) as extrusion aid

Composition H

- 75% monoammonium glyphosate  
10 18% Tween 20 sorbitan monolaurate (polysorbate 20) (ICI Americas Inc.) as surfactant  
7% Carbowax PEG 8000 (Union Carbide Corporation) as extrusion aid

Composition J

- 15 75% monoammonium glyphosate  
18% Tween 80 sorbitan monooleate (polysorbate 80) (ICI Americas Inc.) as surfactant  
7% Carbowax PEG 8000 (Union Carbide Corporation) as extrusion aid  
Compositions of prior art included in the test for comparative purposes were:

20 Composition C

(for comparison with Compositions A and B of this invention)  
75% monoammonium glyphosate  
25% Ethomeen T/25 (Akzo Chemicals Inc.) as surfactant

25 Composition E

- (for comparison with Composition D of this invention)  
75% monoammonium glyphosate  
30 25% T-Det DD 10 (Harcros Chemicals Inc.) as surfactant

Composition G

- (for comparison with Composition F of this invention)  
35 75% monoammonium glyphosate  
25% T-Det DD 14 (Harcros Chemicals Inc.) as surfactant

Composition I

- 40 (for comparison with Composition H of this invention)  
75% monoammonium glyphosate  
25% Tween 20 (ICI Americas Inc.) as surfactant

Composition K

- 45 (for comparison with Composition J of this invention)  
75% monoammonium glyphosate  
25% Tween 80 (ICI Americas Inc.) as surfactant

As an additional comparative treatment, Roundup® herbicide, a commercial aqueous concentrate formulation from Monsanto Company containing the isopropylamine salt of glyphosate and a surfactant based on tallowamine ethoxylate, was applied at the same glyphosate acid equivalent rates as the above granular compositions illustrative of this invention.

Seeds of downy brome (*Bromus tectorum*) and Indian mustard (*Brassica juncea*) were planted in 10 cm square pots containing soil and fertilizer and placed in a growth chamber. Temperature was maintained at about 18°C during the day and about 12°C at night, with a daylength of about 12 hours. After the plants had been growing for 22 days, they were selected for uniformity and assigned to treatments involving the compositions listed above. All compositions were applied in aqueous solution, using an overhead track sprayer calibrated to deliver the equivalent of 94 l/ha of spray solution at a spray pressure of 207 kPa. Two

rates were applied for each composition, each rate treatment being replicated three times. The rates selected were 0.28 kg and 0.56 kg glyphosate acid equivalent/ha. No adjuvant was added to the spray solution. After spraying, the plants were returned to the growth chamber under the same conditions as those described above. Herbicidal efficacy was measured 27 days after treatment (DAT) by visual estimation of percent injury by comparison with unsprayed control plants (% inhibition).

Results of the test are shown in Table 1. They show compositions of the present invention to be essentially equal in herbicidal efficacy to compositions of prior art lacking PEG 8000 as an extrusion aid, even where the absence of PEG 8000 is compensated by an equal amount of additional surfactant.

**Table 1: average % inhibition 27 DAT\***

Composition	Downy brome		Indian mustard	
	0.28 kg/ha	0.56 kg/ha	0.28 kg/ha	0.56 kg/ha
A	72	96	60	77
B	88	97	47	73
C (Comparative)	68	98	60	73
D	83	99	10	50
E (Comparative)	74	97	37	43
F	84	99	17	63
G (Comparative)	89	99	20	50
H	76	98	33	71
I (Comparative)	89	99	28	73
J	68	98	40	50
K (Comparative)	83	99	30	41
<u>COMPARATIVE</u>				
Roundup®	67	97	60	62
* Days after treatment				

Although the invention is described with respect to specific modifications, the details thereof are not to be construed as limitations except to any extent indicated in the following claims.

#### Claims

1. A free-flowing, non-dusty, non-sticky water-soluble agriculturally acceptable granular composition comprising:
  - (a) a herbicidally effective amount of N-phosphonomethylglycine and/or one or more of its agriculturally acceptable salts;
  - (b) an effective amount of one or more surfactants; and
  - (c) an effective amount of an extrusion aid which comprises a polyalkylene glycol in which the alkylene oxide units are either ethylene oxide, propylene oxide, butylene oxide or a mixture of such oxides.
2. A composition of claim 1 in which said surfactants are liquid at ambient temperature.
3. A composition of either of claims 1 or 2 in which said N-phosphonomethylglycine is present as its mono alkali metal or mono ammonium salt or mixture of such salts.

4. A composition of claim 3 which contains from about 40 to about 90 per cent by weight of a salt of N-phosphonomethylglycine.
- 5 5. A composition of claim 3 which contains from about 60 to about 85 per cent by weight of a salt of N-phosphonomethylglycine.
6. A composition of any of claims 3-5 which contains from about 3 to about 30 per cent by weight of said surfactants.
- 10 7. A composition of any of claims 3-5 which contains from about 5 to about 20 per cent by weight of said surfactants.
8. A composition of any of claims 3-7 which contains up to about 30 per cent by weight of said extrusion aid.
- 15 9. A composition of any of claims 3-7 which contains from about 0 to about 20 per cent by weight of said extrusion aid.
- 20 10. A composition of any of claims 3-9 in which said extrusion aid is a polyethylene glycol having an average molecular weight above about 1000.
- 25 11. A composition of any of claims 3-9 in which the extrusion aid is a polyethylene glycol having an average molecular weight from about 3000 to about 9500 and preferably from about 6500 to about 8500.
- 30 12. A composition of any of claims 3-11 in which said surfactants are selected from alkanolamides, betaine derivatives, ethoxylated propoxylated block copolymers, glycerol esters, glycol esters, imidazolines and imidazoline derivatives, lanolin derivatives, lecithin derivatives, tertiary or quaternary polyoxyalkylene alkylamines, polyoxyalkylene and non-polyoxyalkylene alkylamine oxides, polyoxyalkylene alkylethers, polyoxyalkylene alkylarylethers, polyoxyalkylene alkylesters, alkoxylated and non-alkoxylated sorbitan esters, alkyl glycosides, sucrose esters, alkyl polyglycosides, sucrose glycerides, alkyl sulfates or phosphates, olefin sulfonates, alkylaryl sulfonates, polyoxyalkylene alkylether sulfates or phosphates, sulfosuccinate derivatives, sulfosuccinamates, taurates, sulfates and sulfonates of oils, fatty acids, alcohols, alkoxylated alcohols, fatty esters and aromatic derivatives, mixtures thereof and the like.
- 35 13. A process for making compositions of any of claims 1-12 which comprises:
  - (1) making a homogeneous mixture of said surfactants and said extrusion aid together with a small quantity of water, keeping temperature of the mixture substantially below the melting point of said extrusion aid;
  - 40 (2) blending this homogeneous mixture with a dry particulate form of said N-phosphonomethylglycine and/or one or more salts thereof;
  - (3) extruding the blend; and optionally
  - (4) drying the resulting granules.
- 45 14. A process for making compositions of any of claims 1-12 which comprises:
  - (1) making a homogeneous mixture of said surfactants together with a small quantity of water;
  - (2) dry mixing N-phosphonomethylglycine and/or one or more salts thereof and said extrusion aid, both of which are in dry particulate form;
  - (3) blending the homogeneous mixture product of (1) with the dry mix product of (2);
  - 50 (4) extruding the blend; and optionally
  - (5) drying the resulting granules.
- 55 15. A method of killing or controlling vegetation which comprises dissolving a composition of any of claims 1-12 in water and applying the solution to the foliage.



European Patent  
Office

## EUROPEAN SEARCH REPORT

Application Number  
EP 93 87 0159

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.5)
X	WO-A-91 13546 (E.I.DU PONT DE NEMOURS) * page 1, line 32 - page 3, line 15 * * page 4, line 33 - line 37 * * page 11, line 28 * * page 22, line 3 - line 31 * * page 23, line 32 - line 34 * * page 24, line 28 - page 25, line 5 *	1,3-9,15	A01N57/20 //(A01N57/20, 25:12)
Y	---	2,10-14	
Y	EP-A-0 378 985 (MONSANTO) * the whole document *	2,12-14	
Y	EP-A-0 360 441 (E.I.DU PONT DE NEMOURS) * page 2, line 20 - line 33 * * page 3, line 21 - line 24 * * page 16, line 3 - line 15 * * claim 10 *	10,11	
P,X	EP-A-0 501 798 (E.I.DU PONT DE NEMOURS) * page 2, line 18 - line 52 * * page 4, line 17 - line 31 * * page 8, line 38 * * page 18, line 40 - line 51 *	1-15	TECHNICAL FIELDS SEARCHED (Int.Cl.5)
P,X	EP-A-0 498 785 (MONSANTO EUROPE) * page 3, line 47 - line 54 * * page 12, line 46 - line 47 * * page 14, line 36 - line 58 * * page 16, line 33 - line 39 *	1-15	A01N
A	FR-A-2 589 328 (STAUFFER CHEMICAL) * page 2, line 19 - line 24 * * page 3, line 13 - line 17 * * page 4, line 3 - line 6 * * page 13, line 13 - page 14, line 23 *	1-15	
A	FR-A-2 645 709 (SUMITOMO CHEMICAL) * the whole document *	1-15	
		--- -/--	
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 18 November 1993	Examiner LAMERS, W
CATEGORY OF CITED DOCUMENTS			
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons * : member of the same patent family, corresponding document	



European Patent  
Office

## EUROPEAN SEARCH REPORT

Application Number  
EP 93 87 0159

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.5)
A	EP-A-0 256 608 (STAUFFER CHEMICAL) * the whole document * ---	1-15	
D,A	EP-A-0 206 537 (STAUFFER CHEMICAL) * the whole document * -----	1-15	
			TECHNICAL FIELDS SEARCHED (Int.Cl.5)
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 18 November 1993	Examiner LAMERS, W
<div>CATEGORY OF CITED DOCUMENTS</div> <div><div>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</div><div>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons ----- Δ : member of the same patent family, corresponding document</div></div>			